

KN516

SUSPENDED LOUDSPEAKER







	Loudspeaker (8 Ω)
Green	KN516V
Gray	KN516Y
Anthracite	KN516A
White	KN516B
Corten effect	KN516Z


Line transformer


Code: **ON-REQUEST**

Nominal power (W)	On-request
Input voltage (V)	70 / 100
Output power on 8 Ω (W)	On-request


Material	Technopolymer
Type	Bi Amp - Full Range 360
Loudspeaker Ø (mm)	LF 160 mm - HF 4x 56 mm
AES Power Handling (W)	150 + 150
Continuous Power Handling (W)	300 + 300
Frequency response (Hz)	75 - 20K
Sensitivity dB (2,83V/1m)	90
Nominal impedance (Ω)	8 + 8
Dimensions H x W x D (cm)	58,0 x 26,0 x 26,0
Weight (Kg)	6,50


Indoor Speaker






KN516 basic mounting instructions - *Istruzioni di montaggio fissaggio base KN516*
Instructions de montage de fixation de base KN516 - *Standardanleitung für die Deckenmontage „KN516"*








Included in
KN516 box





KN516 ceiling bracket mounting instructions - *Istruzioni di montaggio staffa a soffitto KN516*
Instructions de montage du support plafond KN516 - *Montageanleitungen „KN516" Deckenhalterung*












KN516 plasterboard ceiling bracket mounting instructions - *Istruzioni di montaggio staffa a soffitto cartongesso KN516*
Instructions de montage du support plafond cloison sèche KN516 - *Montageanleitungen „KN516" Deckenhalterung Gipskarton*



KN516 concrete ceiling bracket mounting instructions - *Istruzioni di montaggio staffa a soffitto per muratura KN516*
Instructions de montage du support plafond murs en brique KN516 - *Montageanleitungen „KN516" Deckenhalterung Wandeinbau*

